

Date: 05/27/98
Subject: CASTEX SYSTEMS REMOVAL, Jennings, Jefferson Davis Parish, LA
From: Mike Ryan, OSC, U.S. EPA, Region 6 (214/665-2273)
To: Director, OERR
Charles A. Gazda, RPB, EPA Region 6
Secretary, Louisiana Department of Environmental Quality (LDEQ)
Case Officer, USCG NPFC, Central and Gulf Region Team
Commanding Officer, USCG-D8(m)
Commanding Officer, USCG Gulf Strike Team

POLREP NO: 12

Event: Removal Action
Site ID#: Z663 (FPN 08-6-144)
Start Date: 08/19/96
Demobilization Date: N/A
Completion Date: N/A
Site Type: Inactive NOW Facility
Site Latitude/Longitude: 30o 11' 20" North, 92o 36' 55" West

I. SITUATION

A. Site description

The Castex System Site is a nonhazardous oil-field waste (NOW) disposal facility that was abandoned in 1989 shortly after a fire and catastrophic failure of the produced water storage tank battery. The site is located approximately three miles southeast of Jennings, Jefferson Davis Parish, Louisiana. The facility is in a rural area and is situated adjacent to a marsh and one mile west of the Mermentau River.

B. Description of threat

Approximately 9700 barrels (bbls) of NOW fluids are contained in 19 above ground storage tanks (ASTs, varying in condition from fair to poor. The failed storage tanks contained naturally occurring radioactive material (NORM) sediments that were spilled into the containment basin and mixed with oily sludge. The containment basin has been breached on the south side and is releasing oily water and NORM sediments into the marsh. The marsh flows into the Mermentau River, which flows through Grand Lake to the Gulf of Mexico. The facility also has eleven waste management units (WMUs) that contain approximately 20,400 bbls of oil-based material, 96,319 bbls of salt-base material, and 17,100 bbls of rainwater.

90068540



Chemicals of concern are barium, arsenic, benzene, crude oil waste, and NORM.

C. Preliminary Assessment Results

Air monitoring around the ASTs and WMUs for volatile organic compounds (VOCs), percent oxygen, and the percent lower explosive limit (LEL) indicated no readings significantly different from background. The soil in the primary containment basin has readings of 500 microRoentgen/hour (uR/hr), according to a 1995 LDNR survey, which qualifies the material as NORM by Louisiana regulations.

Preliminary results of EPA analytical data indicate that no area composite sample exceeded RCRA regulatory limits for TCLP Metals or Pesticides/PCBs.

Analysis of AREA-J composite sample indicated 37 picoCuries/gram (pC/g) for Radium 226 and 15 pC/g for Radium 228. Analysis of the composite sample of tanks T11-T14 indicated 35 pC/g for Radium 226 and 16 pC/g for Radium 228. Analysis of AREA-Q composite sample indicated 4.2 pC/g for Radium 226 and 3.0 pC/g for Radium 228.

D. Site History/Background

Historical actions taken: The Louisiana Department of Natural Resources (LDNR) permitted the facility to begin disposal of NOW material in September of 1982. The facility accepted oil- and water- based drilling mud, drill cuttings, produced saltwater, and oily water. Saltwater was injected into the saltwater disposal (SWD) well and solids were stockpiled in WMUs for treatment. The LDNR ordered the facility closed in August of 1989, based on violations of Statewide Order No. 29-B, by Administrative Order No. UIC 89-2. The LDNR requested assistance from EPA Region 6 ERB in May of 1996.

II. SITE INFORMATION

A. Site Activities to Date

1. Initial Removal Action (July 23 through September 26, 1996)

Initial removal actions can be referenced in POLREPs 1 through 7.

2. Second Removal Action

For removal activities conducted up to May 12, 1998, see POLREPs 8 through 10.

CET has completed removing fluids and sludge from the following ASTs and box tanks (TBs): T1-T3, T10-T14, TB1-TB5 and TB7. CET is continuing to remove the fluids and sludge from T6-T9. CET has completed the dismantling of T3, T10-T14 and TB3-TB5; and is continuing to dismantle ASTs T1, T2, T6-T9, and TB2 with acetylene torches. A frac tank was mobilized to the site and filled with rainwater from Area A to facilitate fire control during cutting operations. All steel from the T10-T14 is checked for NORM contamination. Steel with NORM contamination will be sent to the GRI facility in Gibson, Louisiana for decontamination. Decontaminated steel will be sent for scrap and the removed NORM will be held at the GRI Gibson facility until disposal can be arranged, which will be dependant on the NORM concentration analysis. Non-contaminated scrap metal will be transported to LaRose Scrap & Salvage, Inc., in Intracoastal City, Louisiana, for recycling. TB7 will be utilized as a gross NOW decontamination area for dismantled steel originating from Area I.

The RSO has collected samples from each of the 70 barrel vacuum box contents which were removed from T10-T14 and Area J. Material with concentrations equal to or greater than 30 pCi/g are classified as NORM waste. Thus far, approximately 1,190 bbls of NORM sludge has been staged in 17 vacuum boxes, which are in the process of being transported to the LOTUS L.L.C. facility, in Andrews, Texas. All other AST and TB waste has been disposed of as NOW material. See Section V for details.

The RSO and ERRS completed a NORM survey of Area J. The results were as follows: 40-450 uR/hr detected within the berm; 10-40 uR/hr detected outside the berm within 30 feet - the highest readings being those taken near the breach in the southern portion of the containment; and readings as high as 110 uR/hr were detected on the berm itself.

Due to the amendment to Statewide Order No. 29-B (emergency rule), additional sampling of the WMUs and tank sludge and analysis of these samples for TCLP volatile and semi-volatile organic compounds was to be required for NOW disposed of after May 1, 1998. As the elevated organic fractions of the NOW material on site have been disposed of, EPA OSC Mike Ryan requested an exemption from analysis for TCLP volatile and semi-volatile organic compounds of the remaining NOW material on site that would be required for disposal under this emergency rule. This exemption was received on May 7, 1998, from the Commissioner of the Office of Conservation, Warren Fleet, through Director of the Injection and Mining Division, Carroll D. Wascom.

EPA contacted LDEQ Water Quality Surveillance Program Manager, Chris Peiller, to establish water quality parameters for the on-site treatment and discharge of rainwater accumulated in WMUs A through D.

EPA also contacted LDNR representative, Pierre Catrou, regarding the resampling of WMUs A and B, for pH and oil and grease analysis, respectively. It was determined that the areas would be resampled by START; and the samples would be shipped off site to be analyzed by an LDNR contracted laboratory.

B. Next Steps:

Continue removing materials from and dismantling the ASTs and TBs. EPA will continue to coordinate with LDEQ and LDNR for state removal requirements. START will sample WMUs A and B, for off site analysis of pH and oil and grease, respectively.

RFPs are also being prepared for NOW and NORM waste disposal based on EPA, LDNR, and GRI analytical data. Final disposition of NORM will depend on disposal analytical results. Final disposition of NOW material will depend on LDNR's agreement of proposed EPA removal actions.

C. Key Issues:

Deed and Title Search and Review is on-going to determine current status of PRPs for enforcement action and cost recovery through the fund center.

III. PROPOSED ACTIONS

Excavation of NOW solids and disposal of same at a state permitted facility. Excavation of NORM contaminated material and disposal of same at a state permitted facility. Plug and Abandon (P&A) the SWD well and restore site to grade.

IV. COST INFORMATION

1. Initial Removal Action (July 23 through September 26, 1996)

SITE TOTAL (July 23 through September 26, 1996): \$133,946.52

Itemized cost information for the initial removal action can be referenced in POLREPs 1 through 7.

2. Second Removal Action (March 10 through COB May 25, 1998)

Contractor (CET):	\$ 650,000	
Personnel		\$105,506.69
Equipment		\$ 3,692.25
Other		\$411,843.78
Contractor Total:		\$521,042.72

Government:	\$ 50,000	
EPA		\$ 16,075.00
USCG-GST		\$ 19,104.84
START		\$ 15,241.00
Government Total		\$ 50,420.84

SITE TOTAL (March 10 through COB May 25, 1998): \$571,463.56

COMBINED SITE TOTAL: \$705,410.08

V. DISPOSITION OF WASTE

NORM WASTE: 60,000 pounds of NORM contaminated steel, i.e. > 25 uR/hr, have been transported to the GRI facility in Gibson, LA; and 420 barrels (bbls) of NORM contaminated tank bottom sludge, i.e. between 70 and 220 uR/Hr, have been transported to the LOTUS L.L.C. facility in Andrews, Texas.

NOW WASTE: the following volumes have been transported to US Liquids, in Jennings, LA: 2,765 bbl tank sludges; 1,800 bbl salt water; and 100 bbl washout water.

OSC: Mike Ryan P.E.
START PM: Will Farrar